

- - - - -

12423 NE Whitaker Way Portland, OR 97230 503-254-1794



Report Number: 21-006846/D002.R000 **Report Date:** 06/25/2021 ORELAP#: OR100028 **Purchase Order:** 06/18/21 10:31 **Received:**

_ _ _ _ _ _ _ _ _ _ _ _ _ _ _

_

Customer: Product identity: Client/Metrc ID: Laboratory ID:	Whole Organix ZAR 1000mg T 21-006846-000	ïnc 14F212	222	Sample	Date:	06/14/21 16	:00
			Sı	ummary			
Analyte per 1g	Result 0.0445	Limits	Units mg/1g	Status	CBD-Tota		<loq< th=""></loq<>
$\Delta 8$ -THCV per 1g [†] $\Delta 8$ -THC per 1g [†]	0.167 41.2		mg/1g mg/1g		THC-Tota		<loq< td=""></loq<>
						(Reported in milli	grams per serving)

_ _ _ _ _ _ _ _ _ _ _ _ _

-

Page 1 of 8 www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	21-006846/D002.R000					
Report Date:	06/25/2021					
ORELAP#:	OR100028					
Purchase Order:						
Received:	06/18/21 10:31					

Customer:	Whole Organix United States of America (USA)
Product identity:	ZAR 1000mg Tinc 14F21222
Client/Metrc ID:	
Sample Date:	06/14/21 16:00
Laboratory ID:	21-006846-0001
Evidence of Cooling:	No
Temp:	22.9 °C
Serving Size #1:	1 g

Sample Results

Potency per 1g	Method J AOA	AC 2015 V98-6 (mod) Units mg/se	Batch: 2105504	Analyze: 6/21/21 10:54:00 PM
Analyte	Result	Limits Units	LOQ	Notes
CBC per 1g [†]	< LOQ	mg/1g	0.0330	
CBC-A per 1g [†]	< LOQ	mg/1g	0.0330	
CBC-Total per 1g [†]	< LOQ	mg/1g	0.0620	
CBD per 1g	< LOQ	mg/1g	0.0330	
CBD-A per 1g	< LOQ	mg/1g	0.0330	
CBD-Total per 1g	< LOQ	mg/1g	0.0620	
CBDV per 1g ⁺	< LOQ	mg/1g	0.0330	
CBDV-A per 1g [†]	< LOQ	mg/1g	0.0330	
CBDV-Total per 1g [†]	< LOQ	mg/1g	0.0617	
CBE per 1g [†]	< LOQ	mg/1g	0.0330	
CBG per 1g [†]	< LOQ	mg/1g	0.0330	
CBG-A per 1g [†]	< LOQ	mg/1g	0.0330	
CBG-Total per 1g [†]	< LOQ	mg/1g	0.0617	
CBL per 1g [†]	< LOQ	mg/1g	0.0330	
CBL-A per 1g [†]	< LOQ	mg/1g	0.0330	
CBL-Total per 1g [†]	< LOQ	mg/1g	0.0620	
CBN per 1g	< LOQ	mg/1g	0.0330	
CBT per 1g [†]	0.0445	mg/1g	0.0330	
$\Delta 8$ -THCV per 1g ^{\dagger}	0.167	mg/1g	0.0330	
$\Delta 8$ -THC per 1g [†]	41.2	mg/1g	0.330	
$\Delta 9$ -THC per 1g	< LOQ	mg/1g	0.0330	
exo-THC per 1g⁺	< LOQ	mg/1g	0.0330	
THC-A per 1g	< LOQ	mg/1g	0.0330	
THC-Total per 1g	< LOQ	mg/1g	0.0620	
THCV per 1g [↑]	< LOQ	mg/1g	0.0330	
THCV-A per 1g [†]	< LOQ	mg/1g	0.0330	
THCV-Total per 1g [†]	< LOQ	mg/1g	0.0620	
Total Cannabinoids per 1g	41.4	mg/1g		

Page 2 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





 Report Number:
 21-006846/D002.R000

 Report Date:
 06/25/2021

 ORELAP#:
 OR100028

 Purchase Order:
 Received:

 06/18/21
 10:31

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

[†] = Analyte not NELAP accredited.

Units of Measure

g = Gram mg/1g = Milligram per 1g % = Percentage of sample % wt = μg/g divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 8

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.





Report Number: 21-006846/D002.R000 **Report Date:** 06/25/2021 ORELAP#: OR100028 **Purchase Order: Received:** 06/18/21 10:31

				-	Analy	sis Red	queste	ed					
Company: WHOLE OR	C.d.al	i.		(See pag	e 2 for co	ommor	nly-re	queste	d tests)			
Contact: <u>BILL</u> You	coffe .	<u>(x</u> ·											
Street: $3500 ETCT$													
			D			-	1 -		_				
City: Houston State:											Report to	o State - 🗌 M	ETRC or 🖾 Other:
DEmail Results: <u>BY_UI+02EOR</u>	GANIXG	2 G-MAIL 20	1								Turnarou	nd time: 🖽	Business Day Standard Turnaround
n: (<u>215)2728454</u> 🗆 Fx Results	s: ()		0									 = 3	3 Business Day Rush Turnaround*
Billing (if different):			EN										Business Day Rush Turnaround*
			L										*Ask for availability
	T		So								Sampled		T
b Client Sample Identification	Date	Time	Ser.				-				Sample Type †	Weight (Units)	Comments/Metrc ID
ZAR 1000 Mg TINC	6/14/2	4:00 Pm	X				1				T		POTENCY.
14F21222													M3/9
													1 · 3/ P
	1					1	T						
-													-
						+	1	-					-
-	-										~ ~		-
				_			1.1						-
-						_							
Relinguished By:	Date	Time			- ludba		4					/	Lab Use Only
Relinquisned By:				Kec	eived By:			Da	te	Time		J.M	Lab Use Only:
Will Tom	4/14/2	4:10									Evidence	of cooling:	yes □ No - Temp (°C): <u>22-</u> ¶
							18				Sample in	n good conditi	on: 🗆 Yes 🗆 No
				A					Sea	1.21	Cash I	Check	CC 🗆 Net:
			(X				(e.1	04	1030	Prelog sto	orage:	

 www.columbialaboratories.com
 Page 4 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430

Columbia LABORATORIES A Tentamus Company	12423 NE Whitaker Way Portland, OR 97230 503-254-1794	Report Number: Report Date: ORELAP#: Purchase Order: Received:	06/25/2021 OR100028	
Same Job Number: <u>21-000000000000000000000000000000000000</u>	te/time) Date: O & C ime: O O O O O O O O O O O O O O O O O O O		06/18/21 10:31	
Les la lacation print to InFID: K99 K39				

Page 5 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number:	21-006846/D002.R000
Report Date:	06/25/2021
ORELAP#:	OR100028
Purchase Order:	

Received:

06/18/21 10:31

Revision #: 0.00 Control : CFL-D06 Revision Date: 05/31/2019 Effective Date: 05/31/2019

		Labor	atory	Quality Co	ntrol Res	sults		
JAOAC2015 V	/986			Bate	ch ID: 21	05504		
Laboratory Con	trol Sample							
Analyte	Result	Spike	Units	% Rec	Lim	its	Evaluation	Notes
CBDVA	0.00941	0.0100	%	94.1	85.0 -	115	Acceptable	
CBDV	0.00967	0.0100	%	96.7	85.0 -	115	Acceptable	
CBE	0.00986	0.0102	%	97.1	85.0 -	115	Acceptable	
CBDA	0.00985	0.0100	%	98.5	85.0 -	115	Acceptable	
CBGA	0.00955	0.0100	%	95.5	85.0 -	115	Acceptable	
CBG	0.00960	0.0100	%	96.0	85.0 -	115	Acceptable	
CBD	0.0100	0.0100	%	100	85.0 -	115	Acceptable	
THCV	0.00953	0.0100	%	95.3	85.0 -	115	Acceptable	
d8THCV	0.00999	0.00996	%	100	85.0 -	115	Acceptable	
THCVA	0.00925	0.0100	%	92.5	85.0 -	115	Acceptable	
CBN	0.0103	0.0100	%	103	85.0 -	115	Acceptable	
exo-THC	0.00949	0.00961	%	98.8	85.0 -	115	Acceptable	
d9THC	0.0103	0.0100	%	103	85.0 -	115	Acceptable	
d8THC	0.00946	0.0100	%	94.6	85.0 -	115	Acceptable	
CBL	0.00923	0.0100	%	92.3	85.0 -	115	Acceptable	
CBC	0.00993	0.0100	%	99.3	85.0 -	115	Acceptable	
THCA	0.00952	0.0100	%	95.2	85.0 -	115	Acceptable	
CBCA	0.00957	0.0100	%	95.7	85.0 -	115	Acceptable	
CBLA	0.00771	0.00757	%	102	85.0 -	115	Acceptable	
CBT	0.0110	0.0101	%	109	85.0 -	115	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBE	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBDA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBGA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBG	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBD	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THCV	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCVA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBN	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
exo-THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d9THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
d8THC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBL	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBC	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
THCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBCA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBLA	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	
CBT	<loq< td=""><td>0.003</td><td>%</td><td>< 0.003</td><td>Acceptable</td><td></td></loq<>	0.003	%	< 0.003	Acceptable	

Abbreviations

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

% - Percent

Page 6 of 8 www.columbialaboratories.com
Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan
unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless
prior arrangements have been made.
Testing in accordance with: OAR 333-007-0430





Report Number:	21-006846/D002.R000
Report Date:	06/25/2021
ORELAP#:	OR100028
Purchase Order:	
Received:	06/18/21 10:31

Revision #: 0.00 Control : CFL-D06

Revision Date: 05/31/2019 Effective Date: 05/31/2019

			Labor	atory	Quality Co	ntrol Results		
JAOAC2015						ch ID: 2105504		
Sample Duplic	cate				Sam	ole ID: 21-00684		
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBE	0.00713	0.00592	0.003	%	18.5	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.00878	0.00732	0.003	%	18.2	< 20	Acceptable	
CBD	0.496	0.432	0.003	%	13.8	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL

RPD - Relative Percent Difference LOQ - Limit of Quantitation

NA - Calculation Not Applicable given non-numerical results

Units of Measure:

% - Percent

Page 7 of 8 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430





Report Number: 21-006846/D002.R000 **Report Date:** 06/25/2021 ORELAP#: OR100028 **Purchase Order:** 06/18/21 10:31 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 8 of 8

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430